

VISION LUX

TECHNOLOGY CO., LIMITED

LIGHTING COLLECTION

2022 Spring

1

TRACK SPOTS



VXTS001

Internal driver

Description

Internal driver brings compact design

Good heat dissipation effect ensures long life time

ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXTS001-62	12W	>1080lm	φ62*172	15° 24° 36° 60°	2700K 3000K 4000K	80 90
VXTS001-72	20W	>1800lm	φ72*187			
VXTS001-80	30W	>2700lm	φ80*187			
VXTS001-94	34W	>3000lm	φ94*190			



VXTS001ZD

Zoomable and Dimmable

Description

Beam angle can be zoomable from15° to 50° , additional dimmable function makes this series flexible for projects.



ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXTS001ZD-62	15W	>1200lm	φ62*160	15° - 50°	2700K 3000K 4000K	80 90
VXTS001ZD-72	20W	>1600lm	φ72*172			
VXTS001ZD-80	28W	>2240lm	φ80*175			
VXTS001ZD-94	35W	>2800lm	φ94*180			

VXTS001E

Economic Version

Description

Competitive price with good quality

Lens and reflector versions are available



	Power	Lumen	Size	Beam	CCT	CRI
VXTS001E-72	30W	>2700lm	φ72*185	15° 24° 36° 60°	2700K 3000K 4000K	80 90



VXTS002

Integrated driver

Description

Build-in driver adaptor is popular design

Without driver in the heat sink can be with bigger power in same size housing

ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXTS002-62	15W	>1350lm	φ62*150	15° 24° 36° 60°	2700K 3000K 4000K	80 90
VXTS002-75	25W	>2700lm	φ75*150			
VXTS002-90	35W	>3150lm	φ90*150			



VXTS003

With driver box

Description

Classic driver box design brings better heat dissipation control.

ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXTS003-62	15W	>1350lm	φ62*172	15° 24° 36° 60°	2700K 3000K 4000K	80 90
VXTS003-72	30W	>2700lm	φ72*187			
VXTS003-80	35W	>3150lm	φ80*187			
VXTS003-94	40W	>3600lm	φ94*190			


VXTS003P

Pro Version

Description

Low UGR design, UGR<19

Special heat sink design



ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VITS003P-90	35W	>3150lm	φ90*145	15° 24° 36°	2700K 3000K 4000K	80 90

2

Ceiling Recessed Downlights



VXDL001


Comfort series

Description

Round,square,trim and trimless options


Low UGR design,comfortable light output

Free combination for square version




VXDL001R

Round version





ITEM NO	Power	Lumen	Cut-out	Height	Beam	CCT
VXDL001R-55	7W	>450lm	$\phi 55$	75	15° 24° 36°	2700K 3000K 4000K
VXDL001R-75	12W	>780lm	$\phi 75$	90		
VXDL001R-95	20W	>1300lm	$\phi 95$	115		



VXDL001S

Square version



ITEM NO	Power	Lumen	Cut-out	Height	Beam	CCT
VXDL001S-55	7W	>450lm	55X55	75	15° 24° 36°	2700K 3000K 4000K
VXDL001S-75	12W	>780lm	75X75	90		
VXDL001S-95	20W	>1300lm	95X95	115		



VXDL002

Anti glare

IP54

Description

Anti-glare design

COB and SMD version are available

Different color reflectors

ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL002-75	9W	>720lm	φ87*65	φ75	24° 50° 60°	3000K 4000K
VXDL002-100	15W	>1200lm	φ110*75	φ100		
VXDL002-125	24W	>1920lm	φ135*95	φ120		
VXDL002-150	35W	>2800lm	φ160*109	φ150		
VXDL002-175	42W	>3360lm	φ186*121	φ175		

VXDL003


Suitable for
project

Description

Adjustable downlight,3 sizes,suitable for
project



ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL003-80	15W	>1250lm	φ90*95	φ80	15° 24° 36° 60°	2700K 3000K 4000K
VXDL003-95	25W	>1200lm	φ105*115	φ95		
VXDL003-115	40W	>3400lm	φ135*140	φ115		



VXDL004

General lighting

Description

Compact design

High lumen and even light output

A variety of sizes suitable for project

ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL004-75	10W	>900lm	φ85*48	φ75	>60°	3000K 4000K
VXDL004-100	15W	>1350lm	φ115*53	φ100		
VXDL004-125	25W	>2250lm	φ145*69	φ125		
VXDL004-140	30W	>2700lm	φ160*61	φ140		
VXDL004-165	35W	>3150lm	φ180*65	φ165		
VXDL004-195	40W	>3600lm	φ210*78	φ195		



VXDL006

Wall Washer

Description

Good quality die-casting housing
Shinland reflector brings better lumen flux




ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL006-90	10W	>900lm	φ90*60	φ75	60°	3000K 4000K
VXDL006-102	20W	>1800lm	φ102*80	φ90		
VXDL006-140	30W	>2700lm	φ140*115	φ125		
VXDL006-160	40W	>3600lm	φ160*135	φ145		

VXDL007

Basic SMD downlight

Description

Basic design, simple but very popular, with competitive price, Even light output



ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL007-10	10W	>900lm	φ119*50	φ112	>90°	3000K 4000K
VXDL007-20	20W	>1800lm	φ175*56	φ168		
VXDL007-25	25W	>2250lm	φ175*56	φ168		



VXDL008

Grille light

Description

Sing/Double/Triple version

Strong frame

ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL008-1	25/35 /40	>90lm/W	178*178	150*150	15° 24° 36° 60°	3000K 4000K
VXDL008-2	25/35 /40	>90lm/W	328*178	300*150		
VXDL008-3	25/35 /40	>90lm/W	478*178	450*150		



VXDL0111

Flexible downlight

Description

Single/Double/Triple lamp version

Round and Square trim

Up and down flexible design

ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL0111R-103	15W	>1200lm	φ103*120	φ95	15° /2 4° /36 °	3000K 4000K
VXDL0111S-100	15W	>1200lm	100x100x120	φ90		
VXDL0111R-130	25W	>2000lm	φ130*135	φ120		
VXDL0111S-130	25W	>2000lm	130*130*135	φ120		
VXDL0111S-160	35W	>2800lm	φ160*155	φ140		



VXDL0111

Flexible downlight

Description

Single/Double/Triple lamp version

Round and Square trim

Up and down flexible design

ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL0112S-100	15W	>1200lm	100*185*120	φ175*90	15° /2 4° /36 °	3000K 4000K
VXDL0112S-130	25W	>2000lm	130x240x135	φ120*230		
VXDL0112S-160	35W	>2800lm	160*295*155	φ140*280		



VXDL0111

Flexible downlight

Description

Single/Double/Triple lamp version

Round and Square trim

Up and down flexible design

ITEM NO	Power	Lumen	Size	Cut out	Beam	CCT
VXDL0113S-100	15W	>1200lm	100*270*120	φ260*90	15° /2 4° /36 °	3000K 4000K
VXDL0113S-130	25W	>2000lm	130x345x135	φ120*335		

3

Surface Mounted



ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXCM001-62	12W	>1080lm	φ62*172	15° 24° 36° 60°	2700K 3000K 4000K	80 90
VXCM001-72	20W	>1800lm	φ72*187			
VXCM001-80	30W	>2700lm	φ80*187			
VXCM001-94	34W	>3000lm	φ94*190			



VXCM001

Adjustable
ceilling Mounted

Description

The same sizes with tracklight series

Adjustable and turnable is pratical for project



VXCM002

Easy installation

Description

Turn and lock mounting cup easy for installation

Easy to change beam angle and different color reflectors

ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXCM002-100	12W	>960lm	φ100*100	60°	2700K 3000K 4000K	80 90
VXCM002-130	25W	>2250lm	φ130*130			
VXCM002-170	34W	>3060lm	φ170*170			



VXCM003

Cube

Description

Square version, high quality and excellent elegant design

Black/White/Golden reflectors

ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXCM003	12W	>960lm	90*90*100	15° 24° 36°	3000K 4000K	80 90




VXCM004

Fold series

Description

High quality die-cast housing,unique design in details

ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXCM004	12W	>900lm	φ100*105	15°	3000K	80
				24°	4000K	90
				36°		



ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXCM005-62	10W	>900lm	φ62*120	15° 24° 36° 60°	3000K 4000K	80 90
VXCM005-80	20W	>1800lm	φ80*140			
VXCM005-95	30W	>2700lm	φ95*187			



VXCM005

Pipe series

Description

Classic tube design but still very popular
The accessories can be shared with Tracklight series.



VXCM006

Cube II

Description

Single/Double version

Adjustable

ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXCM006-1	12W	>850lm	100*100*100	15° 24° 36°	3000K	80
VXCM006-2	24W	>1700lm	195*100*85		4000K	90

ITEM NO	Power	Lumen	Size	Beam	CCT	CRI
VXCM007-62	8W	>600lm	φ60*180	15° 24° 36°	3000K 4000K	80 90
VXCM007-75	15W	>1200lm	φ75*205			



VXCM007

Designed light II

Description

Fixed and adjustable light head brings flexible solutions in projects